



## ULTRA-WIDE-VIEW SCUBA MASKS

HYDROOPTIX LLC  
838 HARTZELL STREET  
PACIFIC PALISADES, CALIFORNIA 90272  
PHONE (310) 459-2700 TOLL FREE (877) WIDE EYE  
FAX (310) 459-5067

**INFO@HYDROOPTIX.COM**

**WWW.HYDROOPTIX.COM**



**MASK & ACCESSORY  
SELECTION GUIDE**

## Divers 15 to 25 years of age

	<b>Your Eyesight Category (what you use in air)</b>	<b>MEGA</b> MSRP \$150	<b>CoverLens</b> MSRP \$50	Surface Interval Kit MSRP \$85	<b>DEC-Pro Visit</b> Exam about \$75; Pr contacts about \$3
A	Nearsighted correction <b>greater than -5.5</b> (presbyopes should consider monovision)**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Recommended</b> You will need disposable contact lenses (- power) to become LESS nearsighted
B	Nearsighted correction <b>from -2.5 to -5.5</b> (presbyopes should match closer to MEGA's -4.5 power)**	X	<b>Strongly Recommended</b>	You can use your own eye glasses.	<b>Depends upon your vision</b> Prescriptions outside of -3.0 to -5.0 may require mild power disposable contacts to better match the MEGA's optics
C	Nearsighted correction <b>less than -2.5</b> (presbyopes should match closer to MEGA's -4.5 power)**	X	<b>Optional</b> Depends upon diver's personal tolerance for temporary myopia	<b>Recommended</b>	<b>Recommended</b> You MAY need disposable contact lenses (mild + power) to become MORE nearsighted
D	<b>Farsighted</b> correction of any strength (presbyopes should consider monovision)**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Required</b> You will need + power disposable contact lenses to become temporarily nearsighted
E	<b>20/20 Vision</b> Divers able to focus <b>comfortably</b> at 5 inches need only the MEGA.	X			
F	<b>20/20 Vision</b> Divers <b>unable</b> to focus comfortably at 5 inches. (presbyopes should consider monovision)**	X	<b>Optional</b> Depends upon diver's personal tolerance for temporary myopia	<b>Recommended</b>	<b>Recommended</b> You will need mild + power disposable contact lenses to become temporarily nearsighted
G	Divers in <u>any</u> category with <b>astigmatism</b> correction greater than $\pm 1.25$	X			<b>Recommended</b> Your DEC-Pro will probably recommend disposable Toric contact lenses

\*\* presbyopes have lost their ability to focus close; monovision or modified monovision is suggested (dominant eye optimized for far; other eye for near)

## Divers 26 to 30 years of age

	<b>Your Eyesight Category (what you use in air)</b>	<b>MEGA</b> MSRP \$150	<b>CoverLens</b> MSRP \$50	Surface Interval Kit MSRP \$85	<b>DEC-Pro Visit</b> Exam about \$75; Pr contacts about \$3
A	Nearsighted correction <b>greater than -5.5</b> (presbyopes should consider monovision)**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Recommended</b> You will need disposable contact lenses (- power) to become LESS nearsighted
B	Nearsighted correction <b>from -2.5 to -5.5</b> (presbyopes should match closer to MEGA's -4.5 power)**	X	<b>Strongly Recommended</b>	You can use your own eye glasses.	<b>Depends upon your vision</b> Prescriptions outside of -3.0 to -5.0 may require mild power disposable contacts to better match the MEGA's optics (i.e. to view close objects with no strain)
C	Nearsighted correction <b>less than -2.5</b> (presbyopes should match closer to MEGA's -4.5 power)**	X	<b>Optional</b> Depends upon diver's personal tolerance for temporary myopia	<b>Recommended</b>	<b>Recommended</b> You MAY need disposable contact lenses (mild + power) to become MORE nearsighted
D	<b>Farsighted</b> correction of any strength (presbyopes should consider monovision)**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Required</b> You will need + power disposable contact lenses to become temporarily nearsighted
F	<b>20/20 Vision</b> (presbyopes should match closer to MEGA's -4.5 power)**	X	<b>Optional</b> Depends upon diver's personal tolerance for temporary myopia	<b>Recommended</b>	<b>Required</b> You will need moderate + power disposable contact lenses to become temporarily nearsighted
G	Divers in <u>any</u> category with <b>astigmatism</b> correction greater than $\pm 1.25$	X			<b>Recommended</b> Your DEC-Pro will probably recommend disposable Toric contact lenses.

\*\* presbyopes have lost their ability to focus close; monovision or modified monovision is suggested (dominant eye optimized for far; other eye for near)

## Divers 31 to 35 years of age

	<b>Your Eyesight Category (what you use in air)</b>	<b>MEGA</b> MSRP \$150	<b>CoverLens</b> MSRP \$50	Surface Interval Kit MSRP \$85	<b>DEC-Pro Visit</b> Exam about \$75; Pr contacts about \$3
A	Nearsighted correction <b>greater than -5.5</b> (presbyopes should consider monovision)**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Recommended</b> You will need disposable contact lenses (- power) to become LESS nearsighted
B	Nearsighted correction <b>from -3.0 to -5.5</b> (presbyopes should match closer to MEGA's -4.5 power)**	X	<b>Strongly Recommended</b>	You can use your own eye glasses.	<b>Depends upon your vision</b> Prescriptions outside of -3.5 to -5.0 may require mild power disposable contacts to better match the MEGA's optics (i.e. to view close objects with no strain)
C	Nearsighted correction <b>less than -3.0</b> (presbyopes should match closer to MEGA's -4.5 power)**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Recommended</b> You MAY need disposable contact lenses (mild + power) to become MORE nearsighted
D	<b>Farsighted</b> correction of any strength (presbyopes should consider monovision)**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Required</b> You will need + power disposable contact lenses to become temporarily nearsighted
E	<b>20/20 Vision</b> (presbyopes should match closer to MEGA's -4.5 power)**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Required</b> You will need + power disposable contact lenses to become temporarily nearsighted
F	Divers in <u>any</u> category with <b>astigmatism</b> correction greater than $\pm 1.25$	X			<b>Recommended</b> Your DEC-Pro will probably recommend disposable Toric contact lenses.

\*\* presbyopes have lost their ability to focus close; monovision or modified monovision is suggested (dominant eye optimized for far; other eye for near)

## Divers 36 to 40 years of age

	<b>Your Eyesight Category (what you use in air)</b>	<b>MEGA</b> MSRP \$150	<b>CoverLens</b> MSRP \$50	Surface Interval Kit MSRP \$85	<b>DEC-Pro Visit</b> Exam about \$75; Pr contacts about \$3
A	Nearsighted correction <b>greater than -5.5</b>	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Recommended</b> You will need disposable contact lenses (- power) to become LESS nearsighted
B	Nearsighted correction <b>from -3.5 to -5.5</b> (presbyopes should match closer to MEGA's -4.5 power)**	X	<b>Strongly Recommended</b>	You can use your own eye glasses.	<b>Depends upon your vision</b> Prescriptions outside of -4.0 to -5.0 may require mild power disposable contacts to better match the MEGA's optics (i.e. to view close objects with no strain)
C	Nearsighted correction <b>less than -3.5</b> (presbyopes should match closer to MEGA's -4.5 power)**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Recommended</b> You MAY need disposable contact lenses (+ power) to become MORE nearsighted
D	<b>Farsighted</b> correction of any strength (presbyopes should consider monovision)**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Required</b> You will need + power disposable contact lenses to become temporarily nearsighted
E	<b>20/20 Vision</b> (presbyopes should match closer to MEGA's -4.5 power)**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Required</b> You will need + power disposable contact lenses to become temporarily nearsighted
F	Divers in <u>any</u> category with <b>astigmatism</b> correction greater than $\pm 1.25$	X			<b>Recommended</b> Your DEC-Pro will probably recommend disposable Toric contact lenses.

\*\* presbyopes have lost their ability to focus close; monovision or modified monovision is suggested (dominant eye optimized for far; other eye for near)

## Divers 41 to 45 years of age

	<b>Your Eyesight Category (what you use in air)</b>	<b>MEGA</b> MSRP \$150	<b>CoverLens</b> MSRP \$50	Surface Interval Kit MSRP \$85	<b>DEC-Pro Visit</b> Exam about \$75; Pr contacts about \$3
A	Nearsighted correction <b>greater than -5.5</b> presbyopes may require monovision or modified monovision to see close objects**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Recommended</b> You will need disposable contact lenses (- power) to become LESS nearsighted
B	Nearsighted correction <b>from -4.0 to -5.5</b> presbyopes may require monovision or modified monovision for close objects**	X	<b>Strongly Recommended</b>	You can use your own eye glasses.	<b>Depends upon your vision</b> Prescriptions outside of -4.0 to -5.0 may require mild power disposable contacts to better match the MEGA's optics (i.e. view close objects with no strain)
C	Nearsighted correction <b>less than -4.0</b> presbyopes may require monovision or modified monovision for close objects**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Recommended</b> You MAY need disposable contact lenses (+ power) to become MORE nearsighted
D	<b>Farsighted</b> correction / any strength presbyopes may require monovision or modified monovision for close objects**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Required</b> You will need + power disposable contact lenses to become temporarily nearsighted
E	<b>20/20 Vision</b> (presbyopes may require monovision or modified monovision for close objects)**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Required</b> You will need + power disposable contact lenses to become temporarily nearsighted
F	Divers in <u>any</u> category with <b>astigmatism</b> correction greater than $\pm 1.25$	X			<b>Recommended</b> Your DEC-Pro will probably recommend disposable Toric contact lenses.

\*\* presbyopes have lost their ability to focus close; monovision or modified monovision is suggested (dominant eye optimized for far; other eye for near)

## Divers 46 years of age or greater

	<b>Your Eyesight Category (what you use in air)</b>	<b>MEGA</b> MSRP \$150	<b>CoverLens</b> MSRP \$50	Surface Interval Kit MSRP \$85	<b>DEC-Pro Visit</b> Exam about \$75; Pr contacts about \$3
A	Nearsighted correction <b>greater than -5.5</b> presbyopes may require monovision or modified monovision to see close objects**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Recommended</b> You will need disposable contact lenses (- power) to become LESS nearsighted
B	Nearsighted correction <b>from -4.0 to -5.5</b> presbyopes may require monovision or modified monovision for close objects**	X	<b>Strongly Recommended</b>	You can use your own eye glasses.	<b>Recommended</b> So you can view close objects, monovision or modified-monovision is advised (dominant eye optimized for far; other eye for near)
C	Nearsighted correction <b>less than -4.0</b> presbyopes may require monovision or modified monovision for close objects**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Recommended</b> You MAY need disposable contact lenses (+ power) to become MORE nearsighted
D	<b>Farsighted</b> correction / any strength presbyopes may require monovision or modified monovision for close objects**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Required</b> You will need + power disposable contact lenses to become temporarily nearsighted
E	<b>20/20 Vision</b> (presbyopes may require monovision or modified monovision for close objects)**	X	<b>Strongly Recommended</b>	<b>Recommended</b>	<b>Required</b> You will need + power disposable contact lenses to become temporarily nearsighted
F	Divers in <u>any</u> category with <b>astigmatism</b> correction greater than $\pm 1.25$	X			<b>Recommended</b> Your DEC-Pro will probably recommend disposable Toric contact lenses.

\*\* presbyopes have lost their ability to focus close; monovision or modified monovision is suggested (dominant eye optimized for far; other eye for near)